

# Ohio | Department of Health

Mike DeWine, Governor  
Jon Husted, Lt. Governor

Bruce Vanderhoff, MD, MBA, Director

JAN 26 2021

Dee Ammerman, Vice President  
QuanTEM Laboratories, LLC  
2033 Heritage Park Drive  
Oklahoma City, OK 73120

RE: Environmental Lead Laboratory Approval Number E10045

Dear Dee Ammerman:

The Ohio Department of Health (ODH) Lead Poisoning Prevention Program has reviewed your Environmental Lead Analytical Laboratory application. Your laboratory has met all of the criteria for approval as specified in Chapter 3701-82 of the Ohio Administrative Code (O.A.C.) for the following substance(s):

**Air                      Dust                      Paint                      Soil**

Your laboratory approval number is **E10045**. The approval will expire on **01/20/2023**.

O.A.C. 3701-82-02 (C) requires you to notify ODH within twenty-four hours if for any reason your National Lead Laboratory Accreditation Program (NLLAP) accreditation is revoked, suspended or limited. Additionally, you shall notify ODH within five business days each time your laboratory's NLLAP accreditation as an Environmental Lead Analytical Laboratory is renewed or modified.

O.A.C. 3701-32-14 (A) requires you to submit a copy of your quarterly proficiency testing results from the "Environmental Lead Proficiency Analytical Testing" (ELPAT) program within five business days of receiving the results to ODH.


Please submit the required information by one of the following methods: first-class mail to the address listed below or electronic mail to [lead@odh.ohio.gov](mailto:lead@odh.ohio.gov).

Ohio Department of Health  
Lead Poisoning Prevention Program  
246 North High Street  
Columbus, OH 43215

Pursuant to section 3742.16 of the Revised Code (R.C.), and in accordance with R.C. Chapter 119, I may propose to refuse to renew, or to suspend or revoke, the approval of any Environmental Lead Laboratory if at any time the laboratory does not meet the requirements of the O.A.C. or Chapter 3742 of the Revised Code.

If you have any questions about this approval letter, please contact John Belt at (614) 466-1450.

Sincerely,



Bruce Vanderhoff, MD, MBA Director of Health